

SAFETY DATA SHEET

ECONOMY AUTOMATIC DISHWASHING POWDER

According to Regulation (EU) No 453/2010

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name ECONOMY AUTOMATIC DISHWASHING POWDER
Product No. 250

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd
11 Comber Road
Belfast
BT8 8AN
Tel. 028 90814777
Fax. 028 90812881
email: sds@kitchenmaster-ni.com

1.4. Emergency telephone number

028 9081 4777
08:30 - 17:00 Monday to Thursday
08:30 - 16:30 Friday

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) C;R34. Xi;R37. R52/53.

Human health

Corrosive. Prolonged contact causes serious eye and tissue damage. Dust may irritate throat and respiratory system and cause coughing.

Environment

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

2.2. Label elements

Contains DISODIUM METASILICATE

Detergent Labelling:

15 - < 30% phosphates
< 5% chlorine-based bleaching agents

Labelling



Corrosive

Risk Phrases

R34 Causes burns.
R37 Irritating to respiratory system.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Phrases

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).
S51 Use only in well-ventilated areas.
S24/25 Avoid contact with skin and eyes.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
S60 This material and its container must be disposed of as hazardous waste.
P6 Warning! Do not use together with other products. May release dangerous gases (chlorine).

ECONOMY AUTOMATIC DISHWASHING POWDER

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

DISODIUM METASILICATE	31-35
CAS-No.: 6834-92-0	EC No.: 229-912-9
Classification (EC 1272/2008) Skin Corr. 1B - H314 STOT SE 3 - H335	Classification (67/548/EEC) C;R34 Xi;R37
SODIUM CARBONATE	31-35
CAS-No.: 497-19-8	EC No.: 207-838-8
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36
SODIUM DICHLOROISOCYANURATE	1-5%
CAS-No.: 2893-78-9	EC No.: 220-767-7
Classification (EC 1272/2008) Ox. Liq. 2 - H272 EUH031 Acute Tox. 4 - H302 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC) O;R8 Xn;R22 Xi;R36/37 R31 N;R50/53

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical attention.

Ingestion

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical attention immediately!

Skin contact

Remove victim immediately from source of exposure. Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.

Eye contact

Remove victim immediately from source of exposure. Immediately flush with plenty of water or eyewash solution for up to 10 minutes. Make sure to remove any contact lenses from the eyes before rinsing. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

Dust may irritate respiratory system or lungs.

Ingestion

May cause discomfort if swallowed. May cause internal injury.

Skin contact

Causes burns.

Eye contact

Causes burns.

ECONOMY AUTOMATIC DISHWASHING POWDER

4.3. Indication of any immediate medical attention and special treatment needed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Not relevant

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

During fire, toxic gases (CO, CO₂) are formed.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

During fire, toxic gases (CO, CO₂) are formed.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Avoid discharge to the aquatic environment.

6.3. Methods and material for containment and cleaning up

Collect spillage with shovel, broom or the like and reuse, if possible. Dispose of large amounts of spillage/waste according to agreement with local authorities. Avoid generation and spreading of dust. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Avoid spilling, skin and eye contact. Avoid handling which leads to dust formation. Wash hands after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place.

Storage Class

Corrosive storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Ingredient Comments

No exposure limits noted for ingredient(s).

8.2. Exposure controls

Protective equipment

ECONOMY AUTOMATIC DISHWASHING POWDER



Engineering measures

Provide adequate ventilation.

Respiratory equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand protection

Use protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection

Wear approved safety goggles.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.

Hygiene measures

Wash hands after contact. Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Crystalline powder.
Odour	Characteristic.
Solubility	Soluble in water.

9.2. Other information

Not determined.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reaction with: Acids.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid contact with acids.

10.5. Incompatible materials

Materials To Avoid

Acids.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation

Irritating to respiratory system. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

Ingestion

Causes burns. May cause internal injury.

Skin contact

Causes burns. Blistering may occur.

ECONOMY AUTOMATIC DISHWASHING POWDER

Eye contact

Causes burns. Risk of corneal damage.

Toxicological information on ingredients.

SODIUM CARBONATE (CAS: 497-19-8)

Acute toxicity:

Acute Toxicity (Oral LD50)

2800 mg/kg Rat

REACH dossier information

Acute Toxicity (Dermal LD50)

> 2000 mg/kg Rabbit

REACH dossier information

Acute Toxicity (Inhalation LC50)

2300 mg/m³ (aerosol) Rat 2 hours

REACH dossier information

DISODIUM METASILICATE (CAS: 6834-92-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

994 mg/kg Rat

REACH dossier information

Acute Toxicity (Dermal LD50)

> 3000 mg/kg Rat

REACH dossier information

Acute Toxicity (Inhalation LC50)

> 2.06 mg/l (vapours) Rat

REACH dossier information

SODIUM DICHLOROISOCYANURATE (CAS: 2893-78-9)

Acute toxicity:

Acute Toxicity (Oral LD50)

1823 mg/kg Rat

REACH dossier information

Acute Toxicity (Dermal LD50)

> 5000 mg/kg Rat

REACH dossier information

Acute Toxicity (Inhalation LC50)

> 0.27 mg/l (dust/mist) Rat 4 hours

REACH dossier information

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product may affect the acidity (pH-factor) in water with risk of harmful effects to aquatic organisms.

12.1. Toxicity

ECONOMY AUTOMATIC DISHWASHING POWDER

Ecological information on ingredients.

SODIUM CARBONATE (CAS: 497-19-8)

Acute Toxicity - Fish

LC50 96 hours 300 mg/l *Lepomis macrochirus* (Bluegill)

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 200 mg/l *Ceriodaphnia* sp.

REACH dossier information

DISODIUM METASILICATE (CAS: 6834-92-0)

Acute Toxicity - Fish

LC50 96 hours 210 mg/l *Brachydanio rerio* (Zebra Fish)

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 7.8 pH *Daphnia magna*

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours 207 mg/l *Desmodosmus subspicatus*

REACH dossier information

SODIUM DICHLOROISOCYANURATE (CAS: 2893-78-9)

Acute Toxicity - Fish

LC50 96 hours > 1000 mg/l *Lepomis macrochirus* (Bluegill)

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

LC50 48 hours > 1000 mg/l *Daphnia magna*

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours > 100 mg/l *Skeletonema costatum*

REACH dossier information

NOEC 72 hours 100 mg/l *Skeletonema costatum*

REACH dossier information

12.2. Persistence and degradability

Degradability

There are no data on the degradability of this product.

Ecological information on ingredients.

DISODIUM METASILICATE (CAS: 6834-92-0)

Biodegradation

Scientifically unjustified.

REACH dossier information

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

12.4. Mobility in soil

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Not determined.

12.6. Other adverse effects

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

ECONOMY AUTOMATIC DISHWASHING POWDER

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	3253
UN No. (IMDG)	3253
UN No. (ICAO)	3253

14.2. UN proper shipping name

Proper Shipping Name DISODIUM TRIOXOSILICATE, MIXTURE

14.3. Transport hazard class(es)

ADR/RID/ADN Class	8
ADR/RID/ADN Class	Class 8: Corrosive substances.
ADR Label No.	8
IMDG Class	8
ICAO Class/Division	8
Transport Labels	



14.4. Packing group

ADR/RID/ADN Packing group	III
IMDG Packing group	III
ICAO Packing group	III

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

EMS	F-A, S-B
Emergency Action Code	2X
Hazard No. (ADR)	80

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply.

Guidance Notes

Workplace Exposure Limits EH40.

ECONOMY AUTOMATIC DISHWASHING POWDER

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Comments

This is first issue.

Revision Date 05-2012

Revision 1

Supersedes date 07-2008

Risk Phrases In Full

R34 Causes burns.
R31 Contact with acids liberates toxic gas.
R8 Contact with combustible material may cause fire.
R22 Harmful if swallowed.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R36/37 Irritating to eyes and respiratory system.
R36 Irritating to eyes.
R37 Irritating to respiratory system.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard Statements In Full

H319 Causes serious eye irritation.
H314 Causes severe skin burns and eye damage.
EUH031 Contact with acids liberates toxic gas.
H302 Harmful if swallowed.
H412 Harmful to aquatic life with long lasting effects.
H335 May cause respiratory irritation.
H272 May intensify fire; oxidiser.
H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.