

SAFETY DATA SHEET

601+ DEGREASER

According to Regulation (EU) No 453/2010

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name 601+ DEGREASER
Product No. HSC601P

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd
11 Comber Road
Belfast
BT8 8AN
Tel. 028 90814777
Fax. 028 90812881
email: sds@kitchenmaster-ni.com

1.4. Emergency telephone number

028 9081 4777
08:30 - 17:00 Monday to Thursday
08:30 - 16:30 Friday

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Not classified.

Human health

See section 11 for additional information on health hazards.

2.2. Label elements

Detergent Labelling:

< 5% amphoteric surfactants
Phosphonates
non-ionic surfactants

Risk Phrases

NC Not classified.

Safety Phrases

P13 Safety data sheet available for professional user on request.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

ALCOHOL ETHOXYLATE-7 MOLE	< 1
CAS-No.: 68131-39-5	EC No.:
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC) Xn;R22. Xi;R41. N;R50.

601+ DEGREASER

C12-C18 ALKYL AMIDO PROPYL DIMETHYLAMINE BETAINE	1-5%
CAS-No.: 61789-40-0	EC No.: 263-058-8
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36.
DIPROPYLENE GLYCOL MONOMETHYL ETHER	1-5%
CAS-No.: 34590-94-8	EC No.: 252-104-2
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Not classified.
DISODIUM METASILICATE	1-5%
CAS-No.: 6834-92-0	EC No.: 229-912-9
Classification (EC 1272/2008) Skin Corr. 1B - H314 STOT SE 3 - H335	Classification (67/548/EEC) C;R34 Xi;R37
PROPAN-2-OL	1-5%
CAS-No.: 67-63-0	EC No.: 200-661-7
Classification (EC 1272/2008) Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	Classification (67/548/EEC) F;R11 Xi;R36 R67

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical attention if any discomfort continues.

Ingestion

Remove victim immediately from source of exposure. Rinse mouth thoroughly. Provide rest, warmth and fresh air. Get medical attention if any discomfort continues.

Skin contact

Remove victim immediately from source of exposure. Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

Eye contact

Remove victim immediately from source of exposure. Immediately flush with plenty of water or eyewash solution for up to 10 minutes. Make sure to remove any contact lenses from the eyes before rinsing. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

Spray mists may cause respiratory tract irritation.

Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact

Prolonged skin contact may cause redness and irritation.

Eye contact

May irritate eyes.

601+ DEGREASER

4.3. Indication of any immediate medical attention and special treatment needed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Not relevant

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

During fire, toxic gases (CO, CO₂) are formed.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

In case of fire, toxic gases may be formed.

5.3. Advice for firefighters

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

The product is not expected to be hazardous to the environment.

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Avoid spilling, skin and eye contact. Wash hands after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
DIPROPYLENE GLYCOL MONOMETHYL ETHER	WEL	50 ppm	308 mg/m ³			Sk
PROPAN-2-OL	WEL	400 ppm	999 mg/m ³	500 ppm	1250 mg/m ³	

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

8.2. Exposure controls

Protective equipment

601+ DEGREASER



Engineering measures

Provide adequate ventilation.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection

Wear approved, tight fitting safety glasses where splashing is probable.

Hygiene measures

Wash hands after contact. Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Odour	Characteristic.
Solubility	Soluble in water.

9.2. Other information

Not determined.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Not relevant

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials To Avoid

No incompatible groups noted.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation

Spray mists may cause respiratory tract irritation.

Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact

Prolonged and frequent contact may cause redness and irritation.

Eye contact

Splashes may irritate.

Toxicological information on ingredients.

601+ DEGREASER
PROPAN-2-OL (CAS: 67-63-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

5.84 g/kg Rat
REACH dossier information

Acute Toxicity (Dermal LD50)

16.4 mL/kg Rabbit
REACH dossier information

Acute Toxicity (Inhalation LC50)

> 10000 ppm (vapours) Rat
REACH dossier information

DISODIUM METASILICATE (CAS: 6834-92-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

994 mg/kg Rat
REACH dossier information

Acute Toxicity (Dermal LD50)

> 3000 mg/kg Rat
REACH dossier information

Acute Toxicity (Inhalation LC50)

> 2.06 mg/l (vapours) Rat
REACH dossier information

ALCOHOL ETHOXYLATE-7 MOLE (CAS: 68131-39-5)

Acute toxicity:

Acute Toxicity (Oral LD50)

> 5000 mg/kg Rat
REACH dossier information

Acute Toxicity (Dermal LD50)

> 2000 mg/kg Rat
REACH dossier information

Acute Toxicity (Inhalation LC50)

> 1.6 mg/l (dust/mist) Rat 4 hours
REACH dossier information

C12-C18 ALKYL AMIDO PROPYL DIMETHYLAMINE BETAINE (CAS: 61789-40-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

4900 mg/kg Rat
IUCLID chemical data sheet.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product is not expected to be hazardous to the environment.

12.1. Toxicity

601+ DEGREASER

Ecological information on ingredients.

PROPAN-2-OL (CAS: 67-63-0)

Acute Toxicity - Fish

LC50 9640 mg/l Pimephales promelas (Fat-head Minnow)

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

LC50 24 hours > 10000 mg/l Daphnia magna

REACH dossier information

Acute Toxicity - Aquatic Plants

Toxicity threshold 168 hours 1800 mg/l Scenedesmus quadricauda

REACH dossier information

DISODIUM METASILICATE (CAS: 6834-92-0)

Acute Toxicity - Fish

LC50 96 hours 210 mg/l Brachydanio rerio (Zebra Fish)

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 7.8 pH Daphnia magna

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours 207 mg/l Desmodium subspicatus

REACH dossier information

ALCOHOL ETHOXYLATE-7 MOLE (CAS: 68131-39-5)

Acute Toxicity - Fish

LC50 96 hours 0.59 mg/l Pleuronectes platessa

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 0.14 mg/l Daphnia magna

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours 0.75 mg/l Selenastrum capricornutum

REACH dossier information

C12-C18 ALKYL AMIDO PROPYL DIMETHYLAMINE BETAINE (CAS: 61789-40-0)

Acute Toxicity - Fish

LC50 96 hours 2 mg/l Brachydanio rerio (Zebra Fish)

IUCLID chemical data sheet.

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 10.5 mg/l Daphnia magna

IUCLID chemical data sheet.

Acute Toxicity - Aquatic Plants

EC50 96 hours 0.55 mg/l Scenedesmus subspicatus

IUCLID chemical data sheet.

12.2. Persistence and degradability

Degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Ecological information on ingredients.

DISODIUM METASILICATE (CAS: 6834-92-0)

Biodegradation

Scientifically unjustified.

REACH dossier information

ALCOHOL ETHOXYLATE-7 MOLE (CAS: 68131-39-5)

Biodegradation

Activated sludge Degradation (72%) 28 days

REACH dossier information

The substance is readily biodegradable.

12.3. Bioaccumulative potential

601+ DEGREASER

Bioaccumulative potential

No data available on bioaccumulation.

Ecological information on ingredients.

ALCOHOL ETHOXYLATE-7 MOLE (CAS: 68131-39-5)

Bioaccumulation factor

BCF 12.7 Pimephales promelas (Fat-head Minnow)

REACH dossier information

12.4. Mobility in soil

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Not determined.

12.6. Other adverse effects

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

SECTION 14: TRANSPORT INFORMATION

General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply.

Guidance Notes

Workplace Exposure Limits EH40.

601+ DEGREASER

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Comments

Re-issued according to Regulation (EU) No 453/2010.

Revision Date 05-2012

Revision 3

Supersedes date 07-2008

Risk Phrases In Full

R34	Causes burns.
R22	Harmful if swallowed.
R11	Highly flammable
R36	Irritating to eyes.
R37	Irritating to respiratory system.
NC	Not classified.
R41	Risk of serious damage to eyes.
R67	Vapours may cause drowsiness and dizziness.
R50	Very toxic to aquatic organisms.

Hazard Statements In Full

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H314	Causes severe skin burns and eye damage.
H302	Harmful if swallowed.
H225	Highly flammable liquid and vapour.
H336	May cause drowsiness or dizziness.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.