

SAFETY DATA SHEET OXYBLEACH

According to Regulation (EU) No 453/2010

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name OXYBLEACH
Product No. LMOXYBLCH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Bleach.

1.3. Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd
11 Comber Road
Belfast
BT8 8AN
Tel. 028 90814777
Fax. 028 90812881
email: sds@kitchenmaster-ni.com

1.4. Emergency telephone number

028 9081 4777
08:30 - 17:00 Monday to Thursday
08:30 - 16:30 Friday

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xn;R22. Xi;R37/38, R41. O;R8.

Human health

Harmful if swallowed. Risk of serious damage to eyes. Irritating to respiratory system. Irritating to respiratory system and skin.

Physical and Chemical Hazards

Oxidising material - Keep away from flammable and combustible materials.

2.2. Label elements

Contains HYDROGEN PEROXIDE SOLUTION ... %

Labelling



Harmful



Oxidising

Risk Phrases

R8	Contact with combustible material may cause fire.
R22	Harmful if swallowed.
R41	Risk of serious damage to eyes.
R37/38	Irritating to respiratory system and skin.

Safety Phrases

S17	Keep away from combustible material.
S24/25	Avoid contact with skin and eyes.
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S37/39	Wear suitable gloves and eye/face protection.
S51	Use only in well-ventilated areas.
S60	This material and its container must be disposed of as hazardous waste.

2.3. Other hazards

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

OXYBLEACH

HYDROGEN PEROXIDE SOLUTION ... %		35-50%
CAS-No.: 7722-84-1	EC No.: 231-765-0	
Classification (EC 1272/2008)	Classification (67/548/EEC)	
Ox. Liq. 1 - H271	R5	
Acute Tox. 4 - H302	O;R8	
Acute Tox. 4 - H332	C;R35	
Skin Corr. 1A - H314	Xn;R20/22	
STOT SE 3 - H335		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical attention if any discomfort continues.

Ingestion

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical attention.

Skin contact

Remove victim immediately from source of exposure. Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

Eye contact

Risk of serious damage to eyes. May cause blurred vision and serious eye damage. Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

Spray mists may cause respiratory tract irritation.

Ingestion

May cause discomfort if swallowed. May cause internal injury.

Skin contact

Skin irritation.

Eye contact

Irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Not relevant

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

During fire, toxic gases (CO, CO₂) are formed.

Unusual Fire & Explosion Hazards

OXIDISING!

Specific hazards

Containers can burst violently when heated, due to excess pressure build-up.

5.3. Advice for firefighters

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

OXYBLEACH

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

The product is not expected to be hazardous to the environment.

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. DO NOT touch spilled material! Keep combustibles away from spilled material. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Avoid spilling, skin and eye contact. Wash hands after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place.

Storage Class

Oxidiser storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
HYDROGEN PEROXIDE SOLUTION ... %	WEL	1 ppm	1,4 mg/m ³	2 ppm	2,8 mg/m ³	

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Engineering measures

Provide adequate ventilation.

Respiratory equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand protection

Use protective gloves made of: Polyvinyl chloride (PVC). Neoprene. Nitrile. or Rubber (natural, latex). The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection

Wear approved safety goggles.

Hygiene measures

Wash hands after handling. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless.

OXYBLEACH

Odour	Characteristic.
Solubility	Miscible with water
Initial boiling point and boiling range	108°C - 114°C
Melting point (°C)	-51°C to -33°C
Relative density	1.131 - 1.196 @ 20°C
Vapour pressure	18.3 mm Hg @ 30°C
pH-Value, Conc. Solution	2.0 - 4.0
Viscosity	1.1 - 1.17 cps @ 20°C
Decomposition temperature (°C)	115°C

9.2. Other information

Not determined.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reaction with: Brass, copper, copper alloys, iron and iron salts. Powdered metal.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Not relevant

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Oxidising, avoid contact with reducing agents.

10.5. Incompatible materials

Materials To Avoid

Strong reducing agents. Strong alkalis. Brass, copper, copper alloys, iron and iron salts. Powdered metal.

10.6. Hazardous decomposition products

Oxygen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

General information

The product is strongly irritating to eyes and skin. Prolonged contact may cause burns.

Inhalation

Irritating to respiratory system.

Ingestion

Harmful if swallowed.

Skin contact

Irritating to skin.

Eye contact

Risk of serious damage to eyes.

Toxicological information on ingredients.

OXYBLEACH
HYDROGEN PEROXIDE SOLUTION ... % (CAS: 7722-84-1)

Acute toxicity:

Acute Toxicity (Oral LD50)

693.7 mg/kg Rat

REACH dossier information

Acute Toxicity (Dermal LD50)

> 2000 mg/kg Rabbit

REACH dossier information

Acute Toxicity (Inhalation LC50)

> 170 mg/m³ (aerosol) Rat

REACH dossier information

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.1. Toxicity

Ecological information on ingredients.

HYDROGEN PEROXIDE SOLUTION ... % (CAS: 7722-84-1)

Acute Toxicity - Fish

LC50 96 hours 16.4 mg/l Pimephales promelas (Fat-head Minnow)

REACH dossier information

NOEC 96 hours 5 mg/l Pimephales promelas (Fat-head Minnow)

REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 2.4 mg/l Daphnia pulex

REACH dossier information

NOEC 48 hours 1 mg/l Daphnia pulex

REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours 1.38 Skeletonema costatum

REACH dossier information

NOEC 72 hours 0.63 mg/l Skeletonema costatum

REACH dossier information

12.2. Persistence and degradability

Degradability

There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

12.4. Mobility in soil

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Not determined.

12.6. Other adverse effects

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

OXYBLEACH

General information

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	2014
UN No. (IMDG)	2014
UN No. (ICAO)	2014

14.2. UN proper shipping name

Proper Shipping Name HYDROGEN PEROXIDE, AQUEOUS SOLUTION

14.3. Transport hazard class(es)

ADR/RID/ADN Class	5.1
ADR/RID/ADN Class	Class 5.1: Oxidising substances.
ADR Label No.	5.1 & 8
IMDG Class	5.1
ICAO Class/Division	5.1
ICAO Subsidiary risk	8

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing group	II
IMDG Packing group	II
ICAO Packing group	II

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant
No.

14.6. Special precautions for user

EMS	F-H, S-Q
Emergency Action Code	2P
Hazard No. (ADR)	58

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply.

OXYBLEACH

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Comments

Re-issued according to Regulation (EU) No 453/2010.

Revision Date 04-2012

Revision 3

Supersedes date 04-2008

Risk Phrases In Full

R35	Causes severe burns.
R8	Contact with combustible material may cause fire.
R20/22	Harmful by inhalation and if swallowed.
R22	Harmful if swallowed.
R5	Heating may cause an explosion.
R37/38	Irritating to respiratory system and skin.
R37	Irritating to respiratory system.
R41	Risk of serious damage to eyes.

Hazard Statements In Full

H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H302	Harmful if swallowed.
H271	May cause fire or explosion; strong oxidiser.
H335	May cause respiratory irritation.