

SAFETY DATA SHEET

RELOAD 1-SANITIZER-DEGREASER CONCENTRATE

According to Regulation (EU) No 453/2010

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name RELOAD 1-SANITIZER-DEGREASER CONCENTRATE
Product No. REAQUATRIG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd
 11 Comber Road
 Belfast
 BT8 8AN
 Tel. 028 90814777
 Fax. 028 90812881
 email: sds@kitchenmaster-ni.com

1.4. Emergency telephone number

028 9081 4777
 08:30 - 17:00 Monday to Thursday
 08:30 - 16:30 Friday

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) C;R34. R52/53.

Human health

Corrosive. Prolonged contact causes serious eye and tissue damage.

Environment

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Contains ALCOHOL ETHOXYLATE-7 MOLE
 SODIUM HYDROXIDE

Detergent Labelling:

5 - < 15% non-ionic surfactants
 < 5% Phosphonates
 amphoteric surfactants

Contains BENZALKONIUM CHLORIDE

Labelling



Corrosive

Risk Phrases

R34 Causes burns.
 R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Phrases

S24/25 Avoid contact with skin and eyes.
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
 S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
 S45 In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).
 S60 This material and its container must be disposed of as hazardous waste.

2.3. Other hazards

RELOAD 1-SANITIZER-DEGREASER CONCENTRATE

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

ALCOHOL ETHOXYLATE-7 MOLE	5-10%
CAS-No.: 68131-39-5	EC No.:
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	Classification (67/548/EEC) Xn;R22. Xi;R41. N;R50.
ALKYLAMINE OXIDE	1-5%
CAS-No.: 3332-27-2	EC No.:
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC) Xi;R38,R41. N;R50/53.
BENZALKONIUM CHLORIDE	1-5%
CAS-No.: 68391-01-5	EC No.:
Classification (EC 1272/2008) Acute Tox. 4 - H302 Skin Corr. 1B - H314 Aquatic Acute 1 - H400	Classification (67/548/EEC) Xn;R22. C;R34. N;R50.
C12-C18 ALKYL AMIDO PROPYL DIMETHYLAMINE BETAINE	1-5%
CAS-No.: 61789-40-0	EC No.: 263-058-8
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36.
PENTASODIUM HYDROGEN C,C',C"-NITRILOTRIS(METHYLPHOSPHONATE)	1-5%
CAS-No.: 2235-43-0	EC No.: 218-791-8
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318, H319 Eye Irrit. 2 - H318, H319	Classification (67/548/EEC) Xi;R41,R36/38.
SODIUM HYDROXIDE	1-5%
CAS-No.: 1310-73-2	EC No.: 215-185-5
Classification (EC 1272/2008) Skin Corr. 1A - H314	Classification (67/548/EEC) C;R35

RELOAD 1-SANITIZER-DEGREASER CONCENTRATE

TETRASODIUM 1-HYDROXYETHYLIDENE DISPHOSPHONATE		1-5%
CAS-No.: 3794-83-0	EC No.: 223-267-7	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Dam. 1 - H318, H319 Eye Irrit. 2 - H318, H319	Classification (67/548/EEC) Xi;R41,R36/38.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical attention.

Ingestion

Remove victim immediately from source of exposure. Rinse mouth thoroughly. Do not induce vomiting. Provide rest, warmth and fresh air. Get medical attention immediately!

Skin contact

Remove victim immediately from source of exposure. Remove contaminated clothes and rinse skin thoroughly with water. Contact physician if irritation continues or sores develop.

Eye contact

Remove victim immediately from source of exposure. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

Spray mists may cause respiratory tract irritation.

Ingestion

May cause discomfort if swallowed. May cause internal injury.

Skin contact

Causes burns. Blistering may occur.

Eye contact

May cause chemical eye burns.

4.3. Indication of any immediate medical attention and special treatment needed

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products

During fire, toxic gases (CO, CO₂) are formed.

Unusual Fire & Explosion Hazards

No unusual fire or explosion hazards noted.

Specific hazards

The product is non-combustible. If heated, corrosive and toxic vapours/gases may be formed.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Keep run-off water out of sewers and water sources. Dike for water control.

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

RELOAD 1-SANITIZER-DEGREASER CONCENTRATE

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. DO NOT touch spilled material! Absorb in vermiculite, dry sand or earth and place into containers. Flush with plenty of water to clean spillage area. Do not let washing down water contaminate ponds or waterways. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. See section 11 for additional information on health hazards. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Read and follow manufacturer's recommendations. Avoid spilling, skin and eye contact. Wash hands after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place.

Storage Class

Corrosive storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
SODIUM HYDROXIDE	WEL				2 mg/m3	

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment



Engineering measures

Provide adequate ventilation.

Respiratory equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand protection

Use protective gloves. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye protection

Wear approved safety goggles.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.

Hygiene measures

Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly if skin becomes contaminated. Wash hands after handling. When using do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance

Liquid

RELOAD 1-SANITIZER-DEGREASER CONCENTRATE

Colour	Pink.
Odour	No characteristic odour.
Solubility	Soluble in water.
Relative density	1.074
pH-Value, Conc. Solution	14

9.2. Other information

Not determined.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Acids.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Hazardous Polymerisation

Will not polymerise.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid contact with acids.

10.5. Incompatible materials

Materials To Avoid

Acids.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation

May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

Ingestion

Causes burns. May cause internal injury.

Skin contact

Causes burns. Blistering may occur.

Eye contact

Causes burns. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.

Toxicological information on ingredients.

SODIUM HYDROXIDE (CAS: 1310-73-2)

Acute toxicity:

Acute Toxicity (Dermal LD50)

1350 mg/kg Rabbit

IUCLID chemical data sheet.

ALKYLAMINE OXIDE (CAS: 3332-27-2)

Toxicological information

No information available.

RELOAD 1-SANITIZER-DEGREASER CONCENTRATE

ALCOHOL ETHOXYLATE-7 MOLE (CAS: 68131-39-5)

Acute toxicity:

Acute Toxicity (Oral LD50)

> 5000 mg/kg Rat
REACH dossier information

Acute Toxicity (Dermal LD50)

> 2000 mg/kg Rat
REACH dossier information

Acute Toxicity (Inhalation LC50)

> 1.6 mg/l (dust/mist) Rat 4 hours
REACH dossier information

C12-C18 ALKYL AMIDO PROPYL DIMETHYLAMINE BETAINE (CAS: 61789-40-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

4900 mg/kg Rat
IUCLID chemical data sheet.

BENZALKONIUM CHLORIDE (CAS: 68391-01-5)

Acute toxicity:

Acute Toxicity (Oral LD50)

150 mg/kg Mouse
Miscellaneous information sources.

Acute Toxicity (Dermal LD50)

1420 mg/kg Rat
Miscellaneous information sources.

PENTASODIUM HYDROGEN C,C',C''-NITRILOTRIS(METHYLPHOSPHONATE) (CAS: 2235-43-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

17800 mg/kg Rat
Miscellaneous information sources.

Acute Toxicity (Dermal LD50)

> 15800 mg/kg Rabbit
Miscellaneous information sources.

TETRASODIUM 1-HYDROXYETHYLIDENE DISPHOSPHONATE (CAS: 3794-83-0)

Acute toxicity:

Acute Toxicity (Oral LD50)

2850 mg/kg Rat
REACH dossier information

Acute Toxicity (Dermal LD50)

> 5000 mg/kg Rabbit
REACH dossier information

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

RELOAD 1-SANITIZER-DEGREASER CONCENTRATE

Ecological information on ingredients.

SODIUM HYDROXIDE (CAS: 1310-73-2)

Acute Toxicity - Fish

LC50 96 hours 45.4 mg/l Onchorhynchus mykiss (Rainbow trout)
IUCLID chemical data sheet.

ALKYLAMINE OXIDE (CAS: 3332-27-2)

No information available.

ALCOHOL ETHOXYLATE-7 MOLE (CAS: 68131-39-5)

Acute Toxicity - Fish

LC50 96 hours 0.59 mg/l Pleuronectes platessa
REACH dossier information

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 0.14 mg/l Daphnia magna
REACH dossier information

Acute Toxicity - Aquatic Plants

EC50 72 hours 0.75 mg/l Selenastrum capricornutum
REACH dossier information

C12-C18 ALKYL AMIDO PROPYL DIMETHYLAMINE BETAINE (CAS: 61789-40-0)

Acute Toxicity - Fish

LC50 96 hours 2 mg/l Brachydanio rerio (Zebra Fish)
IUCLID chemical data sheet.

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 10.5 mg/l Daphnia magna
IUCLID chemical data sheet.

Acute Toxicity - Aquatic Plants

EC50 96 hours 0.55 mg/l Scenedesmus subspicatus
IUCLID chemical data sheet.

BENZALKONIUM CHLORIDE (CAS: 68391-01-5)

Acute Toxicity - Fish

LC50 96 hours 0.31 mg/l Lepomis macrochirus (Bluegill)
Miscellaneous information sources.

PENTASODIUM HYDROGEN C,C',C"-NITRILOTRIS(METHYLPHOSPHONATE) (CAS: 2235-43-0)

Acute Toxicity - Fish

LC50 96 hours > 330 mg/l Onchorhynchus mykiss (Rainbow trout)
Miscellaneous information sources.

Acute Toxicity - Aquatic Invertebrates

EC50 48 hours 297 mg/l Daphnia magna
Miscellaneous information sources.

Acute Toxicity - Aquatic Plants

EC50 96 hours 20 mg/l Freshwater algae
Miscellaneous information sources.

TETRASODIUM 1-HYDROXYETHYLIDENE DISPHOSPHONATE (CAS: 3794-83-0)

Acute Toxicity - Fish

LC50 96 hours 3.01 g/L Poecilia reticulata (Guppy)
REACH dossier information

Acute Toxicity - Aquatic Invertebrates

48 hours 0.32 g/L Daphnia magna
REACH dossier information

12.2. Persistence and degradability

Degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Ecological information on ingredients.

ALCOHOL ETHOXYLATE-7 MOLE (CAS: 68131-39-5)

Biodegradation

Activated sludge Degradation (72%) 28 days
REACH dossier information
The substance is readily biodegradable.

RELOAD 1-SANITIZER-DEGREASER CONCENTRATE

12.3. Bioaccumulative potential

Bioaccumulative potential

No data available on bioaccumulation.

Ecological information on ingredients.

ALCOHOL ETHOXYLATE-7 MOLE (CAS: 68131-39-5)

Bioaccumulation factor

BCF 12.7 Pimephales promelas (Fat-head Minnow)

REACH dossier information

12.4. Mobility in soil

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

Not determined.

12.6. Other adverse effects

Not determined.

SECTION 13: DISPOSAL CONSIDERATIONS

General information

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	1760
UN No. (IMDG)	1760
UN No. (ICAO)	1760

14.2. UN proper shipping name

Proper Shipping Name CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE, BENZALKONIUM CHLORIDE)

14.3. Transport hazard class(es)

ADR/RID/ADN Class	8
ADR/RID/ADN Class	Class 8: Corrosive substances.
ADR Label No.	8
IMDG Class	8
ICAO Class/Division	8

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing group	III
IMDG Packing group	III
ICAO Packing group	III

RELOAD 1-SANITIZER-DEGREASER CONCENTRATE

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

EMS F-A, S-B

Emergency Action Code 2X

Hazard No. (ADR) 80

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Classification and Labelling of Substances and Preparations Dangerous for Supply.

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Comments

Re-issued according to Regulation (EU) No 453/2010.

Revision Date 04-2012

Revision 3

SDS No. 06-2008

Risk Phrases In Full

R34 Causes burns.
R35 Causes severe burns.
R22 Harmful if swallowed.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R36/38 Irritating to eyes and skin.
R36 Irritating to eyes.
R38 Irritating to skin.
R41 Risk of serious damage to eyes.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R50 Very toxic to aquatic organisms.

Hazard Statements In Full

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H302 Harmful if swallowed.
H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.